

Rotec Blind Flenzen

Hars Epoxy (GRE)

Drilling Standard: EN1092 PN6



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
1	200	6	320	280	8	18	20	BFE-200-06/06
2	250	6	395	335	12	18	25	BFE-250-06/06
3	300	6	445	395	12	22	28	BFE-300-06/06
4	350	6	505	445	12	22	35	BFE-350-06/06
5	400	6	565	495	16	22	35	BFE-400-06/06
6	450	6	615	550	16	22	40	BFE-450-06/06
7	500	6	670	600	20	22	44	BFE-500-06/06
8	600	6	755	705	20	26	52	BFE-600-06/06
9	700	3	875	810	24	26	48	BFE-700-03/06
10	700	6	875	810	24	26	60	BFE-700-06/06
11	800	2	995	920	24	30	40	BFE-800-02/06
12	800	3	995	920	24	30	60	BFE-800-03/06
13	800	6	995	920	24	30	68	BFE-800-06/06
14	900	3	1090	1020	24	30	60	BFE-900-03/06
15	900	6	1090	1020	24	30	78	BFE-900-06/06
16	1000	3	1200	1120	28	30	68	BFE-1000-03/06

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

09-02-2024

Rotec Blind Flenzen

Hars Epoxy (GRE)

Drilling Standard: EN1092 PN6



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
17	1000	6	1200	1120	28	30	85	BFE-1000-06/06
18	1200	3	1440	1340	32	33	80	BFE-1200-03/06
19	1200	6	1440	1340	32	33	105	BFE-1200-06/06
20	1400	3	1650	1560	36	36	95	BFE-1400-03/06
21	1400	6	1650	1560	36	36	120	BFE-1400-06/06
22	1600	3	1850	1760	40	36	100	BFE-1600-03/06
23	1600	6	1850	1760	40	36	130	BFE-1600-06/06
24	1800	3	2060	1970	44	39	120	BFE-1800-03/06
25	1800	6	2060	1970	44	39	145	BFE-1800-06/06
26	2000	3	2280	2180	48	42	125	BFE-2000-03/06
27	2000	6	2280	2180	48	42	160	BFE-2000-06/06
28	2200	3	2500	2390	52	42	135	BFE-2200-03/06
29	2200	6	2500	2390	52	42	175	BFE-2200-06/06
30	2400	3	2710	2600	56	42	150	BFE-2400-03/06
31	2400	6	2710	2600	56	42	190	BFE-2400-06/06

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.