

Blind Flenzen
Matrix (hars) Epoxy (Huntsman)
Drilling Standard: ANSI B16.5 Class 150



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
1	15	16	98	60	4	16	18	BFE-15-16/150
2	20	16	98	70	4	16	18	BFE-20-16/150
3	25	16	116	79	4	16	20	BFE-25-16/150
4	32	16	116	89	4	16	18	BFE-32-16/150
5	40	16	140	98	4	16	20	BFE-40-16/150
6	50	16	154	121	4	19	20	BFE-50-16/150
7	65	16	184	140	4	19	20	BFE-65-16/150
8	80	16	200	152	4	19	25	BFE-80-16/150
9	100	16	228	191	8	19	25	BFE-100-16/150
10	125	16	254	216	8	19	22	BFE-125-16/150
11	150	10	285	241	8	22	22	BFE-150-10/150
12	150	16	285	241	8	22	28	BFE-150-16/150
13	200	10	350	299	8	22	25	BFE-200-10/150
14	200	16	350	299	8	22	35	BFE-200-16/150
15	250	10	410	362	12	25	35	BFE-250-10/150
16	250	16	410	362	12	25	40	BFE-250-16/150

Blind Flenzen
Matrix (hars) Epoxy (Huntsman)
Drilling Standard: ANSI B16.5 Class 150



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
17	300	10	490	432	12	25	40	BFE-300-10/150
18	300	16	490	432	12	25	48	BFE-300-16/150
19	350	10	540	476	12	29	44	BFE-350-10/150
20	350	16	540	476	12	29	52	BFE-350-16/150
21	400	10	600	540	16	29	48	BFE-400-10/150
22	400	16	600	540	16	29	60	BFE-400-16/150
23	450	10	644	578	16	32	52	BFE-450-10/150
24	450	16	644	578	16	32	68	BFE-450-16/150
25	500	3	720	635	20	32	35	BFE-500-03/150
26	500	6	720	635	20	32	44	BFE-500-06/150
27	500	10	720	635	20	32	60	BFE-500-10/150
28	500	16	720	635	20	32	74	BFE-500-16/150
29	600	3	844	749	20	35	44	BFE-600-03/150
30	600	6	844	749	20	35	52	BFE-600-06/150
31	600	10	844	749	20	35	68	BFE-600-10/150
32	600	16	844	749	20	35	85	BFE-600-16/150

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

09-02-2024